



SAFETY DATA SHEET

1 - PRODUCT AND COMPANY IDENTIFICATION

Product Name CLR PRO MAX® INDUSTRIAL DEGREASER

Restrictions on Use Incompatible with strong oxidizing agents, acid, bases, halogens and bleach. For Commercial and Industrial Use Only.

Product Use Aqueous Industrial Strength Degreaser Cleaner for Removal of Oil, Grease and Tar on Cement, Terrazzo, Stone Floors, Blacktop, Sidewalks, Motors, Garage Floors, Barbeque Grills, Pool Decks
Commercial Packages: (32 fl. Oz., 1, 5, 55, 275 gallons)

Manufacturer: Jelmar, LLC
Address: 5550 W. Touhy Ave.
Skokie, IL 60077 USA
1(847) 675-8400

Emergency Phone Number: 1(800) 323-5497 (USA) 8:30 A.M. – 4:30 P.M. CST Monday – Friday

Emergency 24-hour Contact: Chemtrec 1(800) 424-9300

2 – HAZARDS IDENTIFICATION

COMPLIES WITH 29 CFR 1900.1200 DATED MAY 2024.

CLASSIFICATION

GHS Classification:	Product AT 1:1 DILUTION Eye Damage, Category 1	Product AS SOLD Skin Irritation, Category 2 Eye Damage, Category 1
----------------------------	--	---

LABEL ELEMENTS

Symbol:	Product AT 1:1 DILUTION 	Product AS SOLD 
Signal Word:	Danger	Danger
Hazard statements:	Causes serious eye damage.	Causes skin irritation. Causes serious eye damage.



SAFETY DATA SHEET

Precautionary statement(s):	Wear eye protection/face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Keep out of reach of children.	Wear eye protection/face protection. Wear protective gloves. Wash skin thoroughly after handling. Take off contaminated clothing and wash it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Call a POISON CENTER or doctor/physician if you feel unwell. Keep out of reach of children.
Hazard(s) not otherwise classified (HNOC):	DO NOT mix with other household cleaners or chemicals including bleach, as toxic fumes may result.	DO NOT mix with other household cleaners or chemicals including bleach, as toxic fumes may result.

Unknown Acute Toxicity: Not applicable

SECTION 3 - COMPOSITION /INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERIZATION: Mixture

HAZARDOUS COMPONENTS:

Product AS SOLD

<u>Component</u>	<u>CAS#</u>	<u>OSHA HAZARD</u>	<u>% by Weight</u>
Alkyl Ethoxylate Nonionic Surfactant proprietary blend	Trade Secret	YES	5 – 10
Sodium xylene sulfonate	1300-72-7	YES	1 – 5
Sodium metasilicate	6834-92-0	YES	0.5 – 1.5

Product AT 1:1 DILUTION

<u>Component</u>	<u>CAS#</u>	<u>OSHA HAZARD</u>	<u>% by Weight</u>
Alkyl Ethoxylate Nonionic Surfactant proprietary blend	Trade Secret	YES	1 – 5
Sodium xylene sulfonate	1300-72-7	YES	0.5 – 1.5
Sodium metasilicate	6834-92-0	YES	0 – 1

The exact percentages (concentration) of mixture have been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.



SAFETY DATA SHEET

SECTION 4 – FIRST AID MEASURES

FIRST AID MEASURES

EYE CONTACT: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: immediately call a POISON CENTER/physician.

SKIN CONTACT: If on skin: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs or persists: Get medical advice/attention.

INHALATION: Not a significant route of exposure. Remove person to fresh air and keep comfortable for breathing. If breathing is difficult, GET MEDICAL ATTENTION IMMEDIATELY.

INGESTION: Not a significant route of exposure. Do NOT induce vomiting. If fully conscious, drink 16 ounces of water. Immediately call a poison center/doctor. NEVER give an unconscious person anything to ingest.

MOST IMPORTANT SYMPTOMS AND EFFECTS: May cause serious eye damage. Effects may vary depending on length of exposure, solution concentration. Symptoms may include stinging, redness, tearing, and blurred vision of the eyes. Prolonged skin contact may cause dermatitis and itching. Accidental ingestion may result in vomiting and gastrointestinal disturbance.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED: Provide general supportive measures and treat symptomatically. Provide SDS to physician. Symptoms may be delayed.

SECTION 5 – FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: Not flammable. Use appropriate media for area. Use water spray, dry chemical, alcohol-resistant foam or carbon dioxide.

UNSUITABLE EXTINGUISHING MEDIA: None known.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL

Hazardous Combustion: Carbon oxides. Thermal decomposition can lead to irritating gases and vapors.

Fire and Explosion Hazards: None known.

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS: Evacuate area of personnel. Wear protective NIOSH-approved self-contained breathing apparatus. Remain upwind of fire to avoid hazardous vapors and decomposition products. Use water spray to cool fire-exposed containers. Contaminated extinguishing water must be disposed of in accordance with local, state and federal regulations.

SECTION 6 – ACCIDENTAL RELEASES MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES: Do not get in eyes. Avoid prolonged contact with skin. Ensure adequate ventilation. Avoid breathing vapors or mist. Use personal protective equipment, see Section 8. Isolate area and deny entry to unnecessary and unprotected personnel.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN UP:

Small Spill: No special clean-up procedure is necessary for small (less than 1 gallon) spills. Flush



SAFETY DATA SHEET

spill area with water. Area may be slippery. Wear rubber gloves.

Large Spill: Dam spill and absorb with earth, sand, sawdust or similar material. Place in non-leaking containers. Flush residue with large amount of water. Area may be slippery. Avoid direct discharge to sewers and surface waters. Dispose of collected material in accordance with local, state, and federal regulations.

ENVIRONMENTAL PRECAUTIONS: Do not discharge into drains/surface waters/groundwater.

SECTION 7- HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING: Do not get in eyes. Avoid prolonged contact with skin. Use appropriate personal protective equipment (see Section 8). Use with adequate ventilation. Avoid breathing vapors or mist. Observe good industrial hygiene practices when handling this material. Do not eat, drink, or smoke in work area. Wash hands thoroughly after use. **DO NOT MIX WITH OTHER HOUSEHOLD CLEANERS OR CHEMICALS, INCLUDING BLEACH, AS TOXIC FUMES MAY RESULT.** Keep out of reach of children.

CONDITIONS FOR SAFE STORAGE, INCLUDING INCOMPATIBILITIES: Store in dry, cool, well-ventilated area, away from heat. Keep containers tightly closed. Avoid contact with strong oxidizing agents, bleach, acids, bases, and halogens. Store in original containers in a secure area away from children and pets.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES:

COMPONENT

	<u>OSHA</u>		<u>ACGIH</u>	
	<u>PEL</u>	<u>STEL/C</u>	<u>TWA</u>	<u>STEL/C</u>
Alkyl Ethoxylate Nonionic Surfactant proprietary blend	N.E.	N.E.	N.E.	N.E.
Sodium xylene sulfonate	N.E.	N.E.	N.E.	N.E.
Sodium metasilicate	N.E.	N.E.	N.E.	N.E.

APPROPRIATE ENGINEERING CONTROLS: Use with adequate ventilation. Do not use in closed or confined spaces. Avoid prolonged breathing of vapors or mists of this product. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities must be available when handling this product.

PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY PROTECTION: In an industrial setting, respiratory protection must be worn if ventilation does not eliminate symptoms or keep levels below recommended exposure limits. If vapor or mist is present, wear NIOSH-Approved respirator for vapors and mists, NIOSH-Approved self-contained breathing apparatus, NIOSH-Approved full-face piece positive-pressure, air-supplied respirator. DO NOT exceed limits established by respirator manufacturer.

Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid inhalation of product.

EYE PROTECTION: Industrial users wear safety goggles; wear face protection if the potential for splashing exists. Do not wear contact lenses. Emergency responders should wear full eye and face protection.



SAFETY DATA SHEET

SKIN PROTECTION: Wear rubber gloves with protective cuff. Emergency responders should wear impermeable gloves.

OTHER PROTECTION: Emergency responders should wear chemical type (impermeable) protective clothing and footwear where direct contact with chemicals in this product is possible.

WORK/HYGIENIC PRACTICES: Wash thoroughly with soap and water after use or handling. Routinely wash work clothing and protective equipment to remove contaminants. Use good industrial hygiene practices when handling this material. Do not eat, drink, or smoke in work area.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear Liquid
Color:	Colorless
Odor/odor threshold:	None
Melting point/freezing point:	N.D.
Boiling point (or initial boiling point or boiling range):	N.D.
Flammability:	Not Flammable
Lower and upper explosion limit/flammability limit:	N.A.
Flash point:	None
Auto-ignition temperature:	N.A.
Decomposition temperature:	N.A.
pH:	13.4
Kinematic viscosity:	N.D.
Solubility:	Soluble
Partition coefficient n-octanol/water:	N.D.
Vapor pressure/evaporation rate (Pascal):	N.D.
Density and/or relative density:	N.D.
Relative vapor density:	N.D.
Particle characteristics:	N.A.

SECTION 10 – STABILITY AND REACTIVITY

REACTIVITY: No hazardous reactions if stored and handled as prescribed/indicated.

CHEMICAL STABILITY: This product is stable under normal storage conditions.

POSSIBILITY OF HAZARDOUS REACTIONS: None known.

CONDITIONS TO AVOID: Avoid elevated temperatures. **DO NOT MIX WITH OTHER HOUSEHOLD CLEANERS OR CHEMICALS, INCLUDING BLEACH, AS TOXIC FUMES MAY RESULT.**

INCOMPATIBLE MATERIALS: Strong oxidizing agents, bleach, acids, bases, halogens.

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition can lead to release of irritating gases, vapors and carbon oxides. In the event of fire: see Section 5.

SECTION 11 – TOXICOLOGICAL INFORMATION

ROUTES OF EXPOSURE: Eyes, Skin, Inhalation, Ingestion.

Eyes: May cause serious eye damage. Do not get in eyes. Effects may vary depending on length of exposure, solution concentration.



SAFETY DATA SHEET

Skin: May cause skin irritation. Avoid prolonged skin contact. Effects may vary depending on length of exposure, solution concentration.

Inhalation: No adverse effects expected under typical use conditions.

Ingestion: No adverse effects expected under typical use conditions. Accidental ingestion may result in vomiting and gastrointestinal disturbance.

SYMPTOMS: May cause serious eye damage. Effects may vary depending on length of exposure, solution concentration. Symptoms may include stinging, redness, tearing, and blurred vision of the eyes. Prolonged skin contact may cause redness, dermatitis, discomfort and itching.

INFORMATION ON TOXICOLOGICAL EFFECTS:

NUMERICAL MEASURES OF TOXICITY:

Constituent	Oral LD50	Dermal LD50	Inhalation LC50
Alkyl Ethoxylate Nonionic Surfactant proprietary blend	> 2,500 mg/kg (rat)	> 1,000 mg/kg (rabbit)	No data
Sodium xylene sulfonate	≥ 3,346 mg/kg (rat)	> 2,000 mg/kg (rabbit)	> 6.41 mg/L (rat, 3.8h)
Sodium metasilicate	1,152 – 1,349 mg/kg (rat)	> 5,000 mg/kg (rat)	>2.06 mg/L (rat, 4h)
Product Acute Toxicity Estimate	>5,000 mg/kg	>5,000 mg/kg	Not assessed

DELAYED AND IMMEDIATE EFFECTS AND CHRONIC EFFECTS FROM SHORT-TERM AND LONG-TERM EXPOSURE:

Eye Irritation: Causes serious eye damage based on *in vitro* test results (OECD 437).

Skin Irritation: May cause skin irritation based on constituent data. Effects may vary depending on length of exposure, solution concentration.

Skin Sensitization: Product is not classified based on available data.

Respiratory Sensitization: Product is not classified based on available data.

Carcinogenicity: This product does not contain any substances at concentrations ≥0.1% that are considered carcinogenic by the National Toxicology Program (NTP) Report on Carcinogens and have not been found to be potential carcinogens in the International Agency for Research on Cancer (IARC) Monographs or found to be potential carcinogens by OSHA.

Mutagenicity: Product is not classified based on available data.

Reproductive Toxicity: Product is not classified based on available data.

Specific Target Organ Toxicity – Single Exposure: Product is not classified based on available data.

Specific Target Organ Toxicity – Repeated Exposure: Product is not classified based on available data.

Aspiration Hazard: Product is not classified based on available data.



SAFETY DATA SHEET

SECTION 12- ECOLOGICAL INFORMATION

Ecotoxicity:

Constituent	Organism and Species	Results
Alkyl Ethoxylate Nonionic Surfactant proprietary blend	Fish (<i>Pimephales promelas</i>)	96h LC50: 9.4 mg/L
	Crustacea (<i>Daphnia magna</i>)	48h EC50: 14.4 mg/L
Sodium xylene sulfonate	Fish (<i>Oncorhynchus mykiss</i>)	96h LC50: > 1,000 mg/L
	Crustacea (<i>Daphnia magna</i>)	48h EC50: > 1,000 mg/L
	Algae (<i>Raphidocelis subcapitata</i>)	96h EC50: ≥ 230 mg/L (cell number)
	Microorganisms (Activated Sludge)	3h EC10: ≥ 1,000 mg/L
Sodium metasilicate	Fish (<i>Brachydanio rerio</i>)	96h LC50: 210 mg/L
	Crustacea (<i>Daphnia magna</i>)	48h EC50: 1,700 mg/L (similar substance)
	Algae (<i>Scenedesmus subspicatus</i>)	72h EC50: > 345.4 mg/L (growth rate)
	Microorganisms (Activated Sludge)	3h EC50: > 1,000 mg/L

Persistence / Degradability:

Constituent	Results
Alkyl Ethoxylate Nonionic Surfactant proprietary blend	Readily biodegradable: 98% (OECD 301E)
Sodium xylene sulfonate	Readily biodegradable: 98% (OECD 301B)
Sodium metasilicate	N.A.; inorganic

Bioaccumulative Potential:

Constituent	Log Pow	Bioconcentration Factor (BCF)
Alkyl Ethoxylate Nonionic Surfactant proprietary blend	No data	No data
Sodium xylene sulfonate	0.07 @ 20°C	3.162 L/kg weight/weight
Sodium metasilicate	N.A.	Not expected to bioaccumulate

Mobility in soil: No information available.

PBT and vPvB assessment: The constituents contained in this product are not considered to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

Other Adverse Effects: No information available.



SAFETY DATA SHEET

SECTION 13 – DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Rinse empty containers and recycle. Dispose of unused product in a permitted hazardous waste management facility following all local, state, and federal regulations. Processing, use or contamination of this product may change the waste management options. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. State and local disposal regulations may differ from federal disposal regulations.

CONTAMINATED PACKAGING: Follow label warnings, since containers may retain some residue of the product.

SECTION 14 - TRANSPORTATION INFORMATION

DOT (Department of Transportation) (Land Transport): Not regulated

Hazard Class/Label: N.A.

Packaging Group: N.A.

UN Number: N.A.

Proper Shipping Name: N.A.

IMDG (Marine Transport): Not regulated

Hazard Class/Label: N.A.

Packaging Group: N.A.

UN Number: N.A.

Proper Shipping Name: N.A.

Marine Pollutant: No

IATA (Air Transport): Not regulated

Hazard Class/Label: N.A.

Packaging Group: N.A.

UN Number: N.A.

Proper Shipping Name: N.A.

SECTION 15 – REGULATORY INFORMATION

FEDERAL REGULATIONS:

TSCA INVENTORY STATUS: All components of this product are listed on the TSCA Inventory or are exempt from TSCA Inventory requirements.

SARA TITLE III SECTION 311/312 CATEGORY:

IMMEDIATE (ACUTE) HEALTH HAZARD:	YES
DELAYED (CHRONIC) HEALTH HAZARD:	NO
FIRE HAZARD:	NO
SUDDEN RELEASE OF PRESSURE:	NO
REACTIVE HAZARD:	NO



SAFETY DATA SHEET

SARA SECTIONS 302/304/313/HAP: NO

STATES RIGHT TO KNOW:

Massachusetts: Sodium hydroxide (CAS# 1310-73-2)

New Jersey: Sodium hydroxide (CAS# 1310-73-2); substituted pyrrolidone (trade secret)

Pennsylvania: Sodium hydroxide (CAS# 1310-73-2); substituted pyrrolidone (trade secret)

The following statement is made in order to comply with the California State Drinking Water Act. California Proposition 65: Based on an evaluation of the product's composition and the use(s), this product does not require a California Proposition 65 Warning.

SECTION 16 – OTHER INFORMATION

Date of Revision: 18-August-2026

Updated product classification in Section 2. Updated Sections 4, 6, 7 and 11 based on updated product classification.

Total VOC (wt. %): 0% - does not include any CARB applicable exemptions (Volatile Organic Compounds)/California Air Resources Board

Food Facility Categories: Per federal guidelines as detailed in FDA 21 CFR:

(A1) General Purpose Cleaners

(A4) Floor & Wall Degreasers

(A8) Degreasers/Carbon Removers

SDS ABBREVIATIONS:	ACGIH:	American Conference of Governmental Industrial Hygienists
	C:	Ceiling Limit
	EC50:	Effective Concentration to 50% of a test population
	IATA:	International Air Transport Association
	IMDG:	International Maritime Dangerous Goods
	LC50:	Lethal Concentration to 50% of a test population
	LD50:	Lethal Dose to 50% of a test population
	N.A.:	Not Applicable
	N.D.:	Not Determined
	N.E.:	Not Established
	NIOSH:	National Institute for Occupational Safety & Health
	OECD:	Organisation for Economic Cooperation and Development
	OSHA:	Occupational Safety and Health Administration
	PEL:	Permissible Exposure Limits
	STEL:	Short-Term Exposure Limit
	TSCA:	Toxic Substances Control Act
	TWA:	Time-Weighted Average
	UN:	United Nations

Although the information and recommendations set forth herein are presented in good faith and believed to be correct as of the date hereof, JELMAR offers no representations as to the completeness or accuracy



SAFETY DATA SHEET

thereof. Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will JELMAR be responsible for damages of any nature whatsoever resulting from use of or reliance upon said information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION HEREIN REFERS.