



---

## 1 – PRODUCT AND COMPANY IDENTIFICATION

---

**Product Name** CLR BRANDS® - Free & Clear Mold & Mildew Foaming Stain Remover

**Restrictions on Use:** Incompatible with strong oxidizing agents, acids, bases, bleach, and lime.

**Product Use:** Aqueous Cleaner for Removal of Mold and Mildew Stains on Painted Walls, Ceramic Tile, Hardwood Floors and Baseboards, Fabrics, Glass, Metal, Concrete, Brick, Marble, Laminated Countertops, Fully Cured and Oil-based Painted Surfaces, Hard Plastics, Automobile Tires, Vinyl Tops, Wood, Glass, and Fiberglass.  
Retail Package: [26 fl. oz. (768 ml)]

**Manufacturer:** Jelmar, LLC  
**Address:** 5550 W. Touhy Ave.  
Skokie, IL 60077 USA  
1 (847) 675-8400

**Emergency Phone Number:** 1 (800) 323-5497 (USA) 8:30 A.M. – 4:30 P.M. CST Monday – Friday  
**Emergency 24-hour Contact:** Chemtrec 1 (800) 424-9300

---

## 2 – HAZARDS IDENTIFICATION

---

**COMPLIES WITH 29 CFR 1900.1200 DATED MAY 2024.**

### CLASSIFICATION

Eye Irritation, Category 2A

### LABEL ELEMENTS



**Signal Word** Warning

**Hazard statements** Causes serious eye irritation.

### Precautionary statement(s)

DO NOT get in eyes.  
Wear eye protection/face protection.  
Wash skin thoroughly after handling  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/attention.  
Keep out of reach of children.

### Hazard(s) not otherwise classified (HNOC)

DO NOT mix with other household cleaners or chemicals including bleach, as toxic fumes may result.

**Unknown Acute Toxicity:** Not applicable



---

### SECTION 3 – COMPOSITION /INFORMATION ON INGREDIENTS

---

**CHEMICAL CHARACTERIZATION:** Mixtures

**HAZARDOUS COMPONENTS:**

<u>Component</u>	<u>CAS#</u>	<u>OSHA HAZARD</u>	<u>% by Weight</u>
1. Alcohols, C9-11, ethoxylated	68439-46-3	YES	1.00-5.00
2. Lauramine Oxide	1643-20-5	YES	1.00-5.00

The exact percentages (concentration) of mixture have been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

---

### SECTION 4 – FIRST AID MEASURES

---

**FIRST AID MEASURES**

**EYE CONTACT:** In case of eye contact, immediately rinse eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice.

**SKIN CONTACT:** In case of skin contact, rinse area for at least 15 minutes. Remove contaminated clothing and shoes, wash thoroughly before reuse. If irritation persists, get medical attention.

**INHALATION:** Not a significant route of exposure. Remove to fresh air. If breathing is difficult, GET MEDICAL ATTENTION IMMEDIATELY.

**INGESTION:** If swallowed, DO NOT induce vomiting, drink a glass of water or milk. Call POISON CENTER or doctor immediately. NEVER give an unconscious person anything to ingest.

**MOST IMPORTANT SYMPTOMS AND EFFECTS:** May cause serious eye irritation. Effects may vary depending on length of exposure. Symptoms may include stinging, redness, tearing, and blurred vision of the eyes. Prolonged skin contact may cause mild skin irritation. Symptoms may include redness, discomfort and itching.

**INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:** Provide general supportive measures and treat symptomatically. Provide SDS to physician. Symptoms may be delayed.

---

### SECTION 5 – FIRE FIGHTING MEASURES

---

**SUITABLE EXTINGUISHING MEDIA:** Not flammable. Use appropriate media for area. Use water spray, dry chemical, alcohol-resistant foam or carbon dioxide.

**UNSUITABLE EXTINGUISHING MEDIA:** None known.

**SPECIFIC HAZARDS ARISING FROM THE CHEMICAL**

**Hazardous Combustion Products:** Carbon Monoxide. Thermal decomposition can lead to irritating gases and vapors.

**Fire and Explosion Hazards:** None known.

**SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS:** Evacuate area of personnel. Wear protective NIOSH-approved self-contained breathing apparatus. Remain upwind of fire to avoid hazardous vapors and decomposition products. Use water spray to cool fire-exposed containers. Contaminated extinguishing water must be disposed of in accordance with local, state and federal regulations.




---

## SECTION 6 – ACCIDENTAL RELEASES MEASURES

---

**PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES:** Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Avoid breathing vapors or mist. Use personal protective equipment, see Section 8. Isolate area and deny entry to unnecessary and unprotected personnel.

### METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN UP:

**Small Spill:** No special clean-up procedure is necessary for small (less than 1 gallon) spills. Flush spill area with water. Area may be slippery. Wear rubber gloves.

**Large Spill:** Dam spill and absorb with earth, sand or similar material. Place in non-leaking containers. Flush residue with large amount of water. Area may be slippery. Dispose of collected material according to local, state, and federal regulations. Avoid direct discharge to sewers and surface waters.

---

## SECTION 7 – HANDLING AND STORAGE

---

**PRECAUTIONS FOR SAFE HANDLING:** Avoid contact with eyes, skin or clothing. Use appropriate personal protective equipment (see Section 8). Use with adequate ventilation. Avoid breathing vapors or mist. Observe good industrial hygiene practices when handling this material. Do not eat, drink, or smoke in work area. Wash hands thoroughly after use. **DO NOT MIX WITH OTHER HOUSEHOLD CLEANERS OR CHEMICALS INCLUDING BLEACH, AS TOXIC FUMES MAY RESULT.** Keep out of reach of children.

**CONDITIONS FOR SAFE STORAGE, INCLUDING INCOMPATIBILITIES:** Store in cool, well-ventilated area, away from heat. Keep containers tightly closed. Avoid contact with strong oxidizing agents, acids, bases, bleach, and lime. Store in original containers in a secure area away from children and pets.

---

## SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

---

### EXPOSURE GUIDELINES:

<u>COMPONENT</u>	<u>OSHA</u>		<u>ACGIH</u>	
	<u>PEL</u>	<u>STEL/C</u>	<u>TWA</u>	<u>STEL/C</u>
1. Alcohols, C9-11, ethoxylated	N.E.	N.E.	N.E.	N.E.
2. Lauramine Oxide	N.E.	N.E.	N.E.	N.E.

**APROPRIATE ENGINEERING CONTROLS:** Use with adequate ventilation. Do not use in closed or confined spaces. Avoid prolonged breathing of vapors or mists of this product. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If occupational exposure limits have not been established, maintain airborne levels to an acceptable level.

### PERSONAL PROTECTIVE EQUIPMENT

**RESPIRATORY PROTECTION:** None required during normal household use. In an industrial setting, respiratory protection must be worn if ventilation does not eliminate symptoms or keep levels below recommended exposure limits. If vapor or mist is present, wear NIOSH-Approved respirator for vapors and mists, NIOSH-Approved self-contained breathing apparatus, NIOSH-Approved full-face piece positive-pressure, air-supplied respirator. DO NOT exceed limits established by respirator manufacturer. Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid inhalation of product.

**EYE PROTECTION:** Not required during normal household usage. Wear safety glasses/goggles if potential for splashing exists. Industrial users wear safety goggles; wear face protection if the potential for splashing exists. Do not wear contact lenses. Emergency responders should wear full eye and face protection.



**SKIN PROTECTION:** Rubber gloves with protective cuff. Emergency responders should wear impermeable gloves.

**OTHER PROTECTION:** Emergency responders should wear chemical type (impermeable) protective clothing and footwear where direct contact with chemicals in this product is possible.

**WORK/HYGIENIC PRACTICES:** Wash hands thoroughly after use or handling. Routinely wash work clothing and protective equipment to remove contaminants. Use good industrial hygiene practices when handling this product.

---

## SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

---

Appearance:	Liquid
Color:	White/Clear
Odor/odor threshold:	Surfactant
Melting point/freezing point:	N.D.
Boiling point (or initial boiling point or boiling range):	99.8°C/211.6°F
Flammability:	Not Flammable
Lower and upper explosion limit/flammability limit:	N.A.
Flash point:	None
Auto-ignition temperature:	N.A.
Decomposition temperature:	N.A.
pH:	9.1 – 9.7
Kinematic viscosity:	N.D.
Solubility:	100%
Partition coefficient n-octanol/water:	N.D.
Vapor pressure/evaporation rate (Pascal):	N.D.
Density and/or relative density:	1.01 – 1.03
Relative vapor density:	N.D.
Particle characteristics:	N.A.

---

## SECTION 10 – STABILITY AND REACTIVITY

---

**REACTIVITY:** No hazardous reactions if stored and handled as prescribed/indicated.

**CHEMICAL STABILITY:** Stable under normal storage conditions.

**POSSIBILITY OF HAZARDOUS REACTIONS:** None known.

**CONDITIONS TO AVOID:** Avoid elevated temperatures.

**INCOMPATIBLE MATERIALS:** Strong oxidizing agents, acids, bases, bleach, and lime.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Thermal decomposition can lead to release of irritating gases, vapors and carbon oxides. In the event of fire: see Section 5.

---

## SECTION 11 – TOXICOLOGICAL INFORMATION

---

**Routes of Exposure:** Eyes, Skin, Inhalation, Ingestion.

**Eyes:** Irritant: avoid eye contact. Effects may vary depending on length of exposure.

**Skin:** Mild Irritant: avoid prolonged skin contact. Effects may vary depending on length of exposure

**Inhalation:** No adverse effects expected under typical use conditions.



**Ingestion:** No adverse effects expected under typical use conditions.

**Symptoms:** May cause serious eye irritation. Effects may vary depending on length of exposure. Symptoms may include stinging, redness, tearing, and blurred vision of the eyes. May cause mild skin irritation. Symptoms may include redness, discomfort and itching.

**Information on Toxicological Effects:**

**Numerical Measures of Toxicity:**

Constituent	Oral LD50	Dermal LD50	Inhalation LC50
Alcohols, C9-11, ethoxylated	3,488 mg/kg (rat)	> 2,000 mg/kg (rat, rabbit)	>1.6 mg/L (Max. attain. conc.) (rat, 4h)
Lauramine Oxide	1,064 mg/kg (rat)	> 2,000 mg/kg (rat)	No data
<b>Product Acute Toxicity Estimate</b>	<b>&gt;5,000 mg/kg</b>	<b>&gt;5,000 mg/kg</b>	<b>Not assessed</b>

**Eye Irritation:** Causes serious eye irritation (GHS Category 2A).

**Skin Irritation:** Product is not classified based on available data.

**Skin Sensitization:** Product is not classified based on available data.

**Respiratory Sensitization:** Product is not classified based on available data.

**Carcinogenicity:** This product does not contain any substances at greater than 0.1% (w/w) that are considered carcinogenic by the National Toxicology Program (NTP) Report on Carcinogens and have not been found to be potential carcinogens in the International Agency for Research on Cancer (IARC) Monographs or found to be potential carcinogens by OSHA.

**Mutagenicity:** Product is not classified based on available data.

**Reproductive Toxicity:** Product is not classified based on available data.

**Specific Target Organ Toxicity – Single Exposure:** Product is not classified based on available data.

**Specific Target Organ Toxicity – Repeated Exposure:** Product is not classified based on available data.

**Aspiration Hazard:** Product is not classified based on available data.

**SECTION 12 – ECOLOGICAL INFORMATION**

**Ecotoxicity:**

Constituent	Organism and Species	Results
C9-11 Alcohols Ethoxylated	Fish ( <i>Oncorhynchus mykiss</i> )	96h LC50: 5 - 7 mg/L
	Crustacea ( <i>Daphnia magna</i> )	48h EC50: 2.5 mg/L
	Algae ( <i>Selenastrum capricornutum</i> )	96h EC50: 2.9 mg/L (biomass)
	Microorganisms (Activated Sludge)	3h EC50: 140 mg/L
Lauramine Oxide	Fish ( <i>Danio rerio</i> )	96h LC50: 31.8 mg/L
	Fish ( <i>Pimephales promelas</i> )	120d LC50: 0.87 mg/L
	Crustacea ( <i>Daphnia magna</i> )	48h EC50: 3.9 mg/L
	Crustacea ( <i>Daphnia magna</i> )	21d LC50: 0.96 mg/L



Constituent	Organism and Species	Results
	Algae ( <i>Pseudokirchnerella subcapitata</i> )	72h EC50: 0.20 mg/L
	Microorganisms ( <i>Pseudomonas putida</i> )	18h EC10: 24 mg/L

**Persistence / Degradability:**

Constituent	Results
C9-11 Alcohols Ethoxylated	Readily biodegradable: 80% (Closed Bottle Test)
Lauramine Oxide	Readily biodegradable: 95.3% (OECD 301B)

**Bioaccumulative Potential:**

Constituent	Log Pow	Bioconcentration Factor (BCF)
C9-11 Alcohols Ethoxylated	1.97 – 4.65	12.7 (C12 EO8) ( <i>Pimephales promelas</i> )
Lauramine Oxide	1.85 @ 20 °C	No data

**Mobility in soil:** No information available.  
**PBT and vPvB assessment:** Not considered to be PBT or vPvB.  
**Other Adverse Effects:** No information available.

---

**SECTION 13 – DISPOSAL CONSIDERATIONS**

---

**DISPOSAL METHOD: Rinse empty bottles and recycle.** For Industrial use, dispose of unused product in a permitted hazardous waste management facility following all local, state, and federal regulations. Processing use or contamination of this product may change the waste management options. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. State and local disposal regulations may differ from federal disposal regulations.

**CONTAMINATED PACKAGING:** Follow label warnings, since containers may retain some residue of the product.

---

**SECTION 14 – TRANSPORTATION INFORMATION**

---

**DOT (Department of Transportation) (Land Transport):** Not regulated.

**Hazard Class/Label:** N.A.

**Packaging Group:** N.A.

**UN Number:** N.A.

**Proper Shipping Name:** N.A.

**IMDG (Marine Transport):** Not regulated.

**Hazard Class/Label:** N.A.

**Packaging Group:** N.A.

**UN Number:** N.A.



**Proper Shipping Name:** N.A.

**Marine Pollutant:** No

**IATA (Air Transport):** Not regulated.

**Hazard Class/Label:** N.A.

**Packaging Group:** N.A.

**UN Number:** N.A.

**Proper Shipping Name:** N.A.

---

## SECTION 15 – REGULATORY INFORMATION

---

### FEDERAL REGULATIONS:

**TSCA INVENTORY STATUS:** All components of this product are listed on the TSCA Inventory or are exempt from TSCA Inventory requirements.

### SARA TITLE III SECTION 311/312 CATEGORY:

IMMEDIATE (ACUTE) HEALTH HAZARD:	YES
DELAYED (CHRONIC) HEALTH HAZARD:	NO
FIRE HAZARD:	NO
SUDDEN RELEASE OF PRESSURE:	NO
REACTIVE HAZARD:	NO

**SARA SECTIONS 302/304/313/HAP:** NO

### INTERNATIONAL CHEMICAL INVENTORY STATUS:

EUROPEAN UNION (EINECS)	YES
JAPAN (METI)	YES
AUSTRALIA (ACIS)	YES
KOREA (KECL)	YES
CANADA (DSL)	YES
CANADA (NDSL)	NO
PHILIPPINES	YES

**STATES RIGHT TO KNOW:** California, New Jersey, Pennsylvania, Minnesota, Massachusetts, and Wisconsin. Complies with listed States Right to Know Acts.

The following statement is made in order to comply with the California State Drinking Water Act. California Proposition 65: This product is not known to contain any chemicals known to the State of California to cause cancer and/or to cause birth defects and other reproductive harm.

---

## SECTION 16 – OTHER INFORMATION

---

**Date of Issue:** 19-March-2025

---

Initial Issue.

---



## SAFETY DATA SHEET

**Total VOC (wt. %):** 0.09% - does not include any CARB applicable exemptions (Volatile Organic Compounds/California Air Resources Board)

**CLR Brands® Free & Clear Mold & Mildew Foaming Stain Remover CHEMICAL FATE INFORMATION:** 28-day biodegradation. The matter is readily biodegradable. OECD 301D

<b>SDS ABBREVIATIONS:</b>	ACGIH:	American Conference of Governmental Industrial Hygienists
	C:	Ceiling Limit
	EC50:	Effective Concentration to 50% of a test population
	HAP:	Hazardous Air Pollutant
	IATA:	International Air Transport Association
	IMDG:	International Maritime Dangerous Goods
	LC50:	Lethal Concentration to 50% of a test population
	LD50:	Lethal Dose to 50% of a test population
	N. A.:	Not Applicable
	N. D.:	Not Determined
	N.E.:	Not Established
	NIOSH:	National Institute for Occupational Safety & Health
	OECD:	Organisation for Economic Cooperation and Development
	PBT:	Persistent, Bioaccumulative and Toxic
	PEL:	Permissible Exposure Limits
	STEL:	Short-Term Exposure Limit
	TSCA:	Toxic Substances Control Act
	TWA:	Time-Weighted Average
	UN:	United Nations
	vPvB:	Very Persistent and Very Bioaccumulative
	VOC:	Volatile Organic Compound

Although the information and recommendations set forth herein are presented in good faith and believed to be correct as of the date hereof, JELMAR offers no representations as to the completeness or accuracy thereof. Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will JELMAR be responsible for damages of any nature whatsoever resulting from use of or reliance upon said information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION HEREIN REFERS.